



INSTITUTE FOR TESTING AND CERTIFICATION, a.s.
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
Division CSI – Centre of Civil Engineering



Notified Body No. 1023

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1023-CPR-1208 P

Construction product: **Factory made mineral wool products ROCKWOOL
used for thermal insulation of buildings**
according to list given in the annex to the certificate

Placed on the market under the name or trade mark of: **ROCKWOOL Polska, Sp. z o.o.**
ul. Kwiatowa 14, PL 66-131 Cigacice
Poland

Manufacturing plant: **ROCKWOOL Polska, Sp. z o.o.**
ul. Jana III. Sobieskiego, PL 07-320 Małkinia (product line
MAL7)
Poland

Relevant standard(s): **EN 13162:2012+A1:2015**

Certification report No.: **755200043 / 2022**

Certificate first issued on: **2013-02-18**

Notified Body No. 1023, in compliance with Regulation (EU) No 305/2011 (CPR), attests that:

- All provisions relating to the Assessment and Verification of Constancy of Performance (AVCP) described in Annex ZA of the above harmonized standard(s) under **AVCP System 1** have been applied.
- The factory production control conducted by the manufacturer has been assessed to ensure the constancy of performance of the construction product.

The assessment of performance of the construction product and findings from the initial inspection of the manufacturing plant and factory production control are summarized in the above mentioned Certification Report.

This certificate remains valid as long as neither the harmonised standard, the construction product, the AVCP methods, nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the Notified Body.

This document replace Certificate of Constancy of Performance 1390-CPR-0364/13/P.



Issued in Prague: **2022-02-21**

Mgr. Jiří Heš
Representative of Notified Body No. 1023



Annex to the Certificate of Constancy of Performance 1023-CPR-1208 P

The certificate covers the following products of

**ROCKWOOL Polska, Sp. z o.o., ul. Jana III. Sobieskiego, PL 07-320 Małkinia, PL
 (production line MAL7)**

Page 1 of 2

Trade mark	Thermal conductivity $W \cdot m^{-1} \cdot K^{-1}$	Reaction to fire	Type code according to EN 13162
MULTIROCK ROLL ROCKROLL (d = 100 – 200 mm)	0,044	A1	MW - EN 13162 – T1 – WS – WL(P) – MU1
ROCKMIN PLUS (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,037	A1	MW - EN 13162 – T2 – WS – WL(P) – MU1 MW – EN 13162 – T2 - WS – WL(P) – AW0,90 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW1,00 – MU1
ROCKSLAB PLUS (d = 40 – 200 mm)	0,037		MW - EN 13162 – T2 – WS – WL(P) – MU1
ROCKTON ROCKTON SUPER (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,035	A1	MW – EN 13162 – T3 – CS(10)0,5 – WS – WL(P) – MU1 MW – EN 13162 – T3 – CS(10)0,5 – WS – WL(P) – AW0,90 – MU1 MW – EN 13162 – T3 – CS(10)0,5 – WS – WL(P) – AW0,95 – MU1
ROCKTON PREMIUM (d = 50 – 99 mm) (d = 100 – 200 mm)	0,033	A1	MW – EN 13162 – T3 – CS(10)0,5 – WS – WL(P) – AW0,90 – MU1 MW – EN 13162 – T3 – CS(10)0,5 – WS – WL(P) – AW1,00 – MU1
ROCKSLAB ACOUSTIC (d = 50 – 99 mm) (d = 100 – 150 mm)	0,036	A1	MW - EN 13162 – T3 – WS – WL(P) – AW0,90 - MU1 MW – EN13162 – T3 – WS – WL(P) – AW0,95 – MU1
SUPERROCK (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,035	A1	MW - EN 13162 - T2 – WS – WL(P) - MU1 MW – EN 13162 – T2 – WS – WL(P) – AW0,75 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW1,00 – MU1
SUPERROCK PREMIUM (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,034	A1	MW - EN 13162 - T2 – WS – WL(P) - MU1 MW – EN 13162 – T2 – WS – WL(P) – AW0,90 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW1,00 – MU1



Annex to the Certificate of Constancy of Performance 1023-CPR-1208 P
The certificate covers the following products of
ROCKWOOL Polska, Sp. z o.o., ul. Jana III. Sobieskiego, PL 07-320 Małkinia, PL
(production line MAL7)

Page 2 of 2

Trade mark	Thermal conductivity $W \cdot m^{-1} \cdot K^{-1}$	Reaction to fire	Type code according to EN 13162
ROCKMIN (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,039	A1	MW - EN 13162 – T2 – WS – WL(P) - MU1 MW – EN 13162 – T2 – WS – WL(P) – AW0,85 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW1,00 – MU1
ROCKSLAB (d = 50 – 200 mm)	0,042		MW - EN 13162 – T2 - WS - MU1
TOPROCK SUPER (d = 100 – 200 mm)	0,037		MW - EN 13162 – T2 – WS – WL(P) - MU1
TOPROCK PREMIUM (d = 100 – 200 mm)	0,035		MW - EN 13162 – T2 – WS – WL(P) - MU1
ROCKROLL SUPER TOPROLL SUPER (d = 80 – 200 mm)	0,036		MW - EN 13162 – T2 - WS - MU1
TOPROCK PLUS (d = 100 – 200 mm)	0,039	A1	MW - EN 13162 – T2 – WS – WL(P) - MU1
ROCKROLL PLUS (d = 100 – 200 mm)	0,039		
ROCKSLAB SUPER (d = 40 – 49 mm) (d = 50 – 99 mm) (d = 100 – 200 mm)	0,036	A1	MW - EN 13162 – T2 – WS – WL(P) - MU1 MW – EN 13162 – T2 – WS – WL(P) – AW0,75 – MU1 MW – EN 13162 – T2 – WS – WL(P) – AW0,95 – MU1




Mgr. Jiří Meš
Representative of Notified Body No. 1023